

# Unisto Straplock F7000 / F7115



A Unisto speciality to seal PP strapping on pallets and boxes. Used in industries such as Transport, Retail, Pharmaceuticals and Cash in Transit. The Unisto Straplock is the ideal solution for protecting high value goods, rendering strapping tamper-evident. Serial numbering and optional bar coding enables easy recording of the seal numbers. Company name / logo provide clear identification. Clear marks on base and top section to check that the seal is locked securely. F7000 fits for straps 6 - 12 mm and F7115 for straps 12 - 19 mm. To close the seal there are a manual and a fully portable, electric locking tool available.

---

## Features of this security seal

### Type of Seal

Special Seals

---

### Application

PP strapping on pallets and boxes, diverse

---


#### Unisto Straplock F7000

- › The F-7000 seal is adapted to seal pp strapping of 6 to 12 mm width (0,5 mm maxi thickness)
- › Clear alignment marks on base and top section; ensure the seal is locked securely
- › Company name / logo provide clear identification
- › Unique numbering on top and base sections prevents substitution of component parts
- › Bar coding ensures fast and accurate data capture
- › Blister packed for efficient sequential use of seals

#### Unisto Straplock F7115

- › The F-7115 seal is adapted to seal pp strapping of 12 to 19 mm width (0,7 mm maxi thickness, bigger thickness on request)
- › The metal spike on the base guarantees easy penetration of the strap
- › Clear alignment marks on base and top section; ensure the seal is locked securely
- › Company name / logo provide clear identification
- › Unique numbering on top and base sections prevents substitution of component parts
- › Bar coding ensures fast and accurate data capture
- › Blister packed for efficient sequential use of seals 84 mm

Minimum size



Unisto Straplock F7000: technical Data

**Material**

Polystyrene (PS)

**Numbering**

Laser marked, same numbering on base & top of the seal

**Barcoding**

Code 2/5 interleaved, standard 7 digits + check digit (maximum 11 digits)  
on request code 39 or 128

**Customer name/logo**

Embossed and foil printed in one colour or flat laser marked

**Colours**

White


**Visual locking marks**

Red foil printed on top and base

**Packing**

Blister trays of 10 seals, packed in boxes of 1000 seals  
58.4 x 38.4 x 29.5 cm (0.075 m<sup>3</sup>), approx. 11.3 kg

Minimum size



Unisto Straplock F7115: technical Data

**Material**

Polystyrene (PS)

**Numbering**

Laser marked, same numbering on base & top of the seal

**Barcoding**

Code 128, standard 8 digits (maximum 20 digits) on request code 39 or 2/5 interleaved

**Customer name/logo**

Embossed and foil printed in one colour or flat laser marked

**Colour**

White

**Visual locking marks**

Red foil printed on top and base

**Packing**

Blister trays of 10 seals, packed in boxes of 500 seals  
56.0 x 35.5 x 25.0 cm (0.050 m<sup>3</sup>  
) , approx. 8.4 kg