

# Unisto Twinstar eco (Ecograde PP)



Pull-tight Security Seal with a unique steel locking mechanism. Made with the sustainable material Ecograde. Unisto Twinstar is the ideal solution for sealing any kind of bags and Roll Cages in industries such as Post / Courier Services, Pharmaceutical, Cash in Transit and Transports. The special design of the strap and the housing gives a tamper-resistant fit. Ribbon includes tamper-evident "snake" lines (7.2 x 2.2 mm strap size). Tear-off facility allows easy removal. Barcoded numbering for fast, accurate reliable data capture and streamlining operations. Various plastic colours available.

---

## Features of this security seal

### Type of Seal

Adjustable Length Seals

---


### Application

Bags, Roll Cages

---

- › Sustainable security seal
- › Ecograde is made with 100% recycled PP, which comes from production wastes
- › Locking mechanism of stainless steel, provides secure grip for ribbon
- › Tear-off facility allows easy removal of seal
- › Double snake-line on ribbon deters cutting and guarantees easy checking for cuts
- › Customer name/logo on seal for clear identification and enhanced security
- › Direct laser-marking suited for rough handling and prevents tampering
- › Barcoded numbering for fast, accurate reliable data capture and streamlining operations

### Minimum size



### Materials

Strap/housing: recycled polypropylene (Ecograde PP) Disc: recycled polypropylene (Ecograde PP) Locking mechanism: stainless steel

### Tensile strength (loop)

Approx. 42 kg

### Barcode

Interleaved 2/5 or barcode 128

### Customer name/logo

Foil printed

### Colours - Barcode directly laser marked

White, yellow, apricot, pink, purple, grey, light brown

### Colours - Barcode laser marked off white foil

Dark blue, dark green, red, grey.  
Other colours available on request

### Packing

Mats of 10, boxes 0.026 m<sup>3</sup> of 1'000 (54.5 x 23.0 x 22.0 cm, gross weight ca. 4.45 kg) **without tear-off** (54.5 x 23.0 x 22.0 cm, gross weight ca. 5.00 kg) **with tear-off** 42'000 seals / pallet

### Storage

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.

How to close



How to open

