


Unisto Modular









High security tamper-evident adjustable length security seal with a robust construction that prevents accidental breakage (ribbon diameter 3.8 mm). This seal is very popular in industries such as Post/Courier Services, Chemicals and Transport. Various ribbon lengths. Optional bar-coding for efficient data capture. Available in a range of colours. The Unisto Modular seal is available with a removable sticky label which avoids any script error of the numbering (same number on both seal and label). This enables very fast and easy recording of seal numbers.

© Unisto, www.unisto.com

Features of this security seal

Type of Seal
Adjustable Lenght Seals

Application
Bags, roll cagges


- Various colours for logistical colour coding
- Customer name/logo for clear identification
- Bar-coding ensures fast and accurate data capture
- Notched ribbon fits several applications
- Locking mechanism of POM increases security level

Options

- Removable adhesive label avoids any script error of the numbering (same number on both seal and label) Size: 10x40 mm, with possible bar code 2/5 interleaved or code 39
- Tear-off facility allows removal of seal without use of tool
- Mats of 2 to 10 seals (adhesive tape in the back to maintain them together) allows easy and controlled distribution of seals
- Various sizes of tags

© Unisto, www.unisto.com

Minimum size



Unisto Modular 6800: technical Data

Material
Seal: Polypropylene (PP) or polyamide (PA)
Locking mechanism: Polyoxymethylene (POM)

Tensile strength (loop)
PP : approx. 25 kg / PA : approx. 36 kg

Barcode & standard numbering
Black ink jet printed on white area
Interleaved 2/5, 7 digits with check digit
Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits
barcode 128 C, 6 digits
Other on request

Customer name/logo
Foil printed 1 colour or text in capital letters, black ink jet printed on a white area


Tags
On request other size of tags

Colours
White, red, blue, green, yellow, black
Other colours on request

Packing
Bunches of 50 pieces, in boxes of 1000 seals
56 x 35.5 x 25 (0.050m3), approx. 4.8 kg

© Unisto, www.unisto.com

Minimum size



Unisto Modular 6801: technical Data

Material
Seal: Polypropylene (PP) or polyamide
(PA) Locking mechanism: Polyoxymethylene (POM)

Tensile strength (loop)
PP : approx. 25 Kg / PA : approx. 36 Kg

Barcode & standard numbering
Black ink jet printed on white area
Interleaved 2/5, 7 digits with check digit
Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits
barcode 128 C, 6 digits
Other on request

Customer name/logo
Foil printed 1 colour or text in capital letters, black ink jet printed on a white area

Tags
On request other size of tags


Ribbon length
250, 300 mm, ø 3,8 mm
(367, 435 mm, on request)

Colours
White, red, blue, green, yellow, black
Other colours on request

Packing
Bunches of 50 pieces, in boxes of 1000 seals
56 x 35.5 x 25 (0.050m3), approx. 4.8 kg

© Unisto, www.unisto.com

Minimum size



Unisto Modular 6803: technical Data

Material
Seal: Polypropylene (PP) or polyamide (PA)
Locking mechanism: Polyoxymethylene (POM)

Tensile strength (loop)
PP : approx. 25 Kg / PA : approx. 36 Kg

Barcode & standard numbering
Black ink jet printed on white area
Interleaved 2/5, 7 digits with check digit
Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits
barcode 128 C, 6 digits
Other on request

Customer name/logo
Foil printed 1 colour or text in capital letters, black ink jet printed on a white area

Tags
On request other size of tags


Ribbon length
250, 300 mm, ø 3,8 mm
(367, 435 mm, on request)

Colours
White, red, blue, green, yellow, black
Other colours on request

Packing
Bunches of 50 pieces, in boxes of 1000 seals
56 x 35.5 x 25 (0.050m3), approx. 4.8 kg

© Unisto, www.unisto.com

How to close





© Unisto, www.unisto.com