


**Unisto Variflex**

Tamper-evident pull-tight security seal to seal bags and roll cages in industries such as post/courier services, cash in transit and pharmaceuticals. Ribbon diameter 3.8 mm avoids accidental breakage. Numbering and bar-coding for efficient data capture. Different tag sizes for individual customisation. Available in a variety of colours and ribbon lengths.

---

## Features of this security seal

### Type of Seals

Adjustable Length Seals

---


### Application

Bags, roll cages

---

- › Spikes on the ribbon for secure fastening to neck of bag
- › Tear-off facility (only in Polypropylene) allows removal of seal without using a tool
- › Customer name/logo for clear identification
- › Laser-marking into plastic, suited for rough handling environment, tamper-proof
- › Mats of 10 seals allows sequential distribution

## Minimum size



**Technical Data Version Polyamide (PA)****Materials**

Ribbon/housing: polyamide (PA)

Locking mechanism: polyoxymethylene (POM)

---

**Tensile strength (loop)**

Approx. 40 kg

---

**Colours - Numbered version**

Dark blue, dark green, red, grey, yellow, white, black

Other colours available on request

---

**Colours - Barcode laser marked off white foil**

Dark blue, dark green, red, grey

Other colours available on request

---

**Numbering**

8 digits

---

**Barcoding**

Interleaved 2/5 or barcode 128

---

**Customer name/logo**

Foil printed

---

**Packing**

Mats of 10 pieces, box of 1000 seals PA 265 mm without tear-off 56.5 x 38.0 x 18.5 cm (0.040 m<sup>3</sup>), approx. 5.5

kg PA 360 mm without tear-off 56.5 x 38.0 x 18.5 cm (0.040 m<sup>3</sup>), approx. 6.3 kg

---

**Storage**

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.

---

**Technical Data Version Polypropylene (PP)****Materials**

Ribbon/housing: polypropylene (PP)

Locking mechanism: polyoxymethylene (POM)

---

**Tensile strength (loop)**

Approx. 26 kg

---

**Colours - Numbered version**

Dark blue, dark green, red, grey, yellow, white, black

Other colours available on request

---

**Colours - Barcode directly laser marked**

White, yellow, apricot, pink, purple, grey, light brown

---

**Colours - Barcode laser marked off white foil**

Dark blue, dark green, red, grey

Other colours available on request

---

**Numbering**

8 digits

---

**Barcoding**

Interleaved 2/5 or barcode 128

---

**Customer name/logo**

Foil printed

---

**Packing**

Mats of 10 pieces, box of 1000 seals PP 265 mm with or without tear-off 56.5 x 38.0 x 18.5 cm (0.040 m<sup>3</sup>), approx. 4.5 kg (Variflex LT, approx. 5.4 kg) PP 360 mm with or without tear-off 56.5 x 38.0 x 18.5 cm (0.040 m<sup>3</sup>), approx. 5.1 kg (Variflex LT, approx. 6.0 kg)

---


**Storage**

Seals should be stored in original box away from direct sunlight and chemical fumes.

Store at 22°C/50% RH. Typical shelf life of seals made of PP and PA are approx. 18 months from date of manufacture.

Nevertheless please do not order more than an annual quantity.

---

**How to close****How to open**